AFRL-SR-BL-TR-98-REPORT DOCUMENTATION PAGE Public reporting burden for this collection of information is estimated to average 1 hour pir response, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding collection of information, including suggestions for reducing this burden, to Washington Feadquarters Services. Directorate for information, including suggestions for reducing this burden, to Washington Feadquarters Services. Directorate for information, solid burden, solid 3. REPORT TYPE AND DATES COVERED 2. REPORT DATE 1. AGENCY USE ONLY (Leave blank) Final 01 Sep 95 to 31 Aug 97 5. FUNDING NUMBERS A TITLE AND SUSTITLE (DURIP-95) Instrumentation for phase modulation, stabilization, and control in terabit per second ontical network 6. AUTHOR(S) 61103D 3484/US PROFESSOR WARREN B. PERFORMING ORGANIZATION 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) REPORT NUMBER PRINCETON UNIVERSITY 509 New South Bkdg PO Box 36 Princeton, NJ 08544-0036 10. SPONSORING/MONITORING 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) AGENCY REPORT NUMBER AFOSR/NE F49620-95-1-0511 110 Duncan Avenue RMB115 Bolling AFB DC 20332-8050 11. SUPPLEMENTARY NOTES

19990211

124. DISTRIBUTION / AVAILABILITY STATEMENT

APPROVAL FOR PUBLIC RELEASED: DISTRIBUTION UNLIMITED

13. ABSTRACT (Maximum 200 words)

We requested instrumentation (principally lasers and amplified components operating at 1.5 um) to enhance a research program to develop and demonstrate a Tb/s optical network architecture. This ultra high speed architecture, which includes ultra-high parallelism and complete contral over optical phase. is based on several novel optical and optoelectronic technologies such as acousto-optic spectral encoding of femtosecond optical pulses using shaped radiofrequency pulses and all-optical time-division multi-plexing and demultiplexing of picosecond optical pulses. These key technologies enable an optical network architecture based on a combination of wavelength-time-and code-division multiplexing with rapid channel access and several Tb/s aggregate throughput.

14. SURIECT TERMS			15. NUMBER OF PAGES
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	UL andard Form 298 (Rev. 2-89)

NSN 7540-01-280-5500

Prescribed by ANSI Std. 239-18


Final report: F49620-95-1-0511


We requested anstrumentation principally lesers and amplifier components operating and sweet to enhance a newly DoD-funded research program (part of a BMDO/AFOSR effort on Photonics for Data Fusion in the Focused Research Initiative. hereafter FRI) to develop and demonstrate a Porseptical hetwork architecture. This uitra high speed architectures which includes ultra-high parallelism-and complete control over optical phase, is based on several novel optical and optoelectronic technologies, such as acousto-optic spectral-encoding of femtosecond optical pulses using shaped radiofrequency pulses and all-optical time-division multi-plexing and demuitiplexing of a picosecond optical polises. These key technologies enable an optical network architecture based, on a combination of wavelength-quime- and code-division-multiplexing, with rapid channel access and several This aggregate throughput (see Figure 1). Detailed experimental demonstrations of these technologies have been published by groups in Chemistry and Electrical Engineering at Princeton, but generally at wave-lengths other than 1.5 μ m. For example, femtosecond spectral encoding (pulse shaping) is done by Warren's group at chemically relevant visible and mid-IR wavelengths, and optical demultiplexing has been demonstrated by Pruchal and coworkers at 1.3 µm.


Our FRI proposal suggested demonstrating this architecture by connecting the Chemistry and Engineering buildings on the Princeton campus with optical fiber which could carry several thousand Ethernet channels at the same time. Over the last few years, we have made significant progress towards that goal, with this DURIP funding playing a critical role. In Warren's Inhoratory, for example, high speed laser pulse shaping at λ =1.55 μ m has been demonstrated, using a commercial erbium-doped fiber laser (see Figures 2 and 3). In addition, we have demonstrated that the acousto-optic approach to pulse shaping permits optical multiplexers and tunable delay lines with vastly superior characteristics to conventional systems. For example, we can delay laser pulses by tens of picoseconds, and change that delay in approximately one microsecond, completely under electronic control (just changing the center frequency of the AOM, see Figure 4). No other technology can do this quickly and reproducibly. For a physical delay line, that would correspond to accelerating a mirror instantaneously to 10 km·s-1 and stopping it a few microseconds later. One could think of ways to do this (with explosives), but reproducibility would be a problem. We have also shown clean electronic control of the pulse dispersion, merely by changing the center frequency of the AOM.

D'I'C QUALITY INSTRUCT

Reproduced From Best Available Copy







Final report, Warren, Pruchal, Bergman: "Instrumentation . . . Tb/s network" - Page 4 DURIP funding supported purchase of lasers with 1.5 µm output capability in both the Chemistry Department and the Engineering school, plus a range of equipment for pulse shape modulation and detection. FRI funding was started as a three-year, \$1.5M project was started October 1, 1995. Unfortunately, Congressional action in the budget reconciliation process eliminated all funding for the Focused Research Initiative on September 30, 1996, including this and all other ongoing projects. reallocations at DoD permitted restoration of partial funding, which terminated November 30, 1997. However, the State of New Jersey, through the newly-funded Center for Ultrafast Laser Applications (which I direct), will provide substantial funding (approximately \$150,000 for the year beginning October 1, 1997) to keep this project going during the current funding lapse. The Center for Ultrafast Laser Applications (CULA), funded beginning October 1997 as a Center of Excellence by the New Jersey Commission on Science and Technology (first year funding \$857,000), will exploit recent developments in "ultrafast laser systems" which generate intense laser pulses with durations from roughly 10 picoseconds to 10 femtoseconds. The Center will promote a wide variety of medical, chemical, analytical, and communications applications with breakthrough potential for New Jersey companies and for health care delivery in the state. CULA brings together nine research groups at Princeton University and one at NJIT, the two NJ universities with ultrafast research programs, with three groups at Rutgers and the University of Medicine and Dentistry of New Jersey, the universities with expertise in medical applications and fiber optic delivery systems. The Center leverages substantial existing state-of-the-art equipment and facilities, and includes strong connections with small, medium and large NJ-based companies. The four universities also provide financial support for CULA activities.

For the first year, two of the investigators on the DURIP project (Pruenal and 1) will receive \$250,000 in funding from State money; approximately 60% of this money will involve terabit communications activities. New Jersey State funding cannot replace Federal government support over the long term, but a proposal is currently pending with NSF to provide ongoing funding. The intent of State funding is to provide an academic infrastructure which supports industrial interactions and the creation of high-tech jobs in the region; obviously NSF's goals are far broader. I view this support as very substantial evidence, both that the State is willing to be an important partner in supporting academic research in this field, and that the goals of this project are both feasible and important.